	1 1				
EXAMINER	19 J. 7/2		DATE CONSII	DERED /	3905
*Vrtala, et al., "Conversion of the Major Birch Pollen Allergen, Bet v 1, into Two Nonanaphylactic T Cell Epitope-Containing Fragments", J. Clin. Invest. 99(7): 1673-1681, 1997.					
	/ 		tegy for Peanut Allergy"	` 	
	*Evans, et al., 'Non-Replicating Oral Whole Cell Vaccine Protective Against Enterotoxigenic Escherichia Coli (ETEC) Diarrhea: Stimuation of Anti-CFA (CFA/I) and Anti-Enterotoxin (Anti-LT) Intestinal IgA and Protection Against Challenge with ETEC Belonging to Heterologous Serotypes", FEMS Microbiology Immunology, 47: 117-126, 1988.				
			Nature, Mouse Strain, Control of the Elicited by Genetic Imp		
Examiner's Initials	Citation (Including	g Author, Title, Date, Per	rtinent Pages, Etc.)		
OTHER DO	CUMENTS			· ·	
	*EP 0 819 763	Europe	21 January 1998		
Initials	Boommont 1vo.	Country		Yes	No
Examiner's	Document No.	Country	Date	Translatio	
FODEICNI	PATENT DOCUMENT	ļ	1		
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:
U.S. PATEN	T APPLICATIONS				
	*5,328,991	Kuo	July 12, 1994	530	403
	*6,486,311	Burks, Jr. et al.	November 26, 2002	536	23.6
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
U.S. PATEN	T DOCUMENTS				
	ENTAL FION DISCLOSURE S several sheets if necesso		FILING DATE: January 28, 2000	GROUP: 1644	
(100 00)	1 4000	and I adding to Time	APPLICANT: Bannon, et al.		
(REV. 8-83)		nerce and Trademark Office	2002834-0046	APPLICA 09/494,09	TION NO.:
PTO-1449	Comm	Department of	ATTY. DOCKET:	IN RE	

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0046	IN RE APPLICATION NO.: 09/494,096
			GROUP: 1644

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

	014					
PTO-1449 (REV. 8-83)	Commerce Tommerce Trademark Office		1	TY. DOCKET: 2834-0046	IN RE APPLICAT 09/494,096	
	RADEMARKO		APP	PLICANT: Bannon, et	t al.	
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)			ING DATE: pary 28, 2000	GROUP: 1644		
U.S. PATENT	DOCUMENTS					
Examiner's Initials	U.S. Patent No.	Applicant	Issuc	e Date	Class	Subclass
	*5,820,880	Alving et al.	Octo	ober 13, 1998	424	450
	*5,759,572	Sugimoto et al.	June	2, 1998	424	450
U.S. PATENT	APPLICATIONS					
Examiner's Initials:	Serial Number:	Applicant:	Publ	lication Date:	Group:	Art Unit:
			<u></u>			
	TENT DOCUMENT	ſS	,			
Examiner's	Document No.	Country	Date		Translation	
Initials					Yes	No
OTHER DOCU	JMENTS					
Examiner's Initials	Citation (Including	g Author, Title, Date, Per	tinent	Pages, Etc.)		
	*Koppelman, et al., "Peanut Allergen Ara h 3: Isolation from peanuts and biochemical characterization", Allergy, 58: 1144-1151, 2003.					
	*Triozzi, et al., "Effects of a β-Human Chorionic Gonadotropin Subunit Immunogen Administered in Aqueous Solution with a Novel Nonionic Block Copolymer Adjuvant in Patients with Advanced Cancer", Clinical Cancer Research, 3: 2355-2362, 1997.					
EVAMINED				DATE CONCIDE	oen //	1211

3774702

applicant.

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to



PTO-1449 Em 4 T	U.S. Department of Commerce		ATTY. DOCKET: 2002834-0046	IN RE APPLICAT	TION NO.:
(REV. 8-83)	Patent	and Trademark Office		09/494,096	
			APPLICANT: Bannon, et al.		
SUPPLEMENT		POP A OPEN BATO BIOD	FILING DATE:	GROUP: 1	644
	N DISCLOSURE S eral sheets if necessa		January 28, 2000		
(036 3676	rai sneets ij necessa	<i>iy)</i>			
U.S. PATENT D	OCUMENTS				
Examiner's Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
			<u> </u>		
U.S. PATENT A	PPLICATIONS				
Examiner's Initials:	Serial Number:	Applicant:	Publication Date:	Group:	Art Unit:
FOREIGN PAT	ENT DOCUMENT	`S			
Examiner's Initials	Document No.	Country	Date	Translation	
minais			•	Yes	No
OTHER DOCU	MENTS				
Examiner's Initials	Citation (Including	g Author, Title, Date, Per	tinent Pages, Etc.)		
	*Amorim, et al., "! Induced Allergen-	Suppression of Airway E Specific Regulatory T-Ce	osinophilia by Killed Myceells", Nature Medicine, 8(6)	obacterium V:): 625-629, 20	accae- 002.
	*Asturias, et al., "I	s Tropomyosin an Allerg	gen in Anisakis?", Allergy,	55: 898-890,	2000.
	*Asturias, et al., "Cloning, Isolation, and IgB-Binding Properties of Helixaspersa (Brown Garden Snail) Tropomyosin", Int. Arch Allergy Immunol. 128: 90-96, 2002.				
	*Asturias, et al., "Molecular Characterization of American Cockroach Tropomyosin (Periplaneta Americana Allergen 7), a Cross-Reactive Allergen", <i>The Journal of Immunology</i> , 162: 4342-4348, 1999.				
	*Bannon, et al., "Engineering, Characterization and in Vitro Efficacy of the Major Peanut Allergens for Use in Immunotherapy", Int. Arch. Allergy Immunol, 124: 70-72, 2001.				
		Identification and Charac Arch. Allergy Immunol.	eterization of Che a 1 Aller 1. 127: 47-54, 2002.	gen from Che	nopodium

Top so of



Pmo 1440		LATTY DOCUMENT	DIDE
	U.S. Department of Commerce	ATTY. DOCKET: 2002834-0046	IN RE APPLICATION NO.:
(REV. 8-83)	Patent and Trademark Office	09/494,096	
OVERDY DIABOUT	DAY.	APPLICANT: Bannon, e	
SUPPLEMENT		FILING DATE:	GROUP: 1644
	ON DISCLOSURE STATEMENT eral sheets if necessary)	January 28, 2000	
(Ose sev	erai sneess ij necessary)		
	*Barnes, P.J., "IL-10: A Key Regulator of Allergy, 31: 667-669, 2001.	Allergic Disease", Clinical	and Experimental
	*Bashir, et al., "An Enteric Helminth Infection Dietary Antigen", The Journal of Immunol	_	. ,
	*Batanero, et al., "Purification, Amino Aco Ole e 6, a Cysteine-Enriched Allergen from 1997.	- '	- /
	*Beck, et al., "The Polyclonal and Antiger Injected with Ovalbumin in Alum or Comp 123: 1-8, 1989.		
	*Bissonnette, et al., "Inhibition of Mast Ce Journal of Immunology, 145: 3385-3390, 1		y IFN-α/ β and - γ ¹ ", <i>The</i>
	*Bock, et al., "The Natural History of Food 177, 1982.	d Sensitivity", J. Allergy Cli	n. Immunol. 69: 173-
	*Bock, et al., "Fatalities Due to Anaphylac 107: 191-193, 2001.	etic Reactions to Foods", J.	Allergy Clin. Immunol.
	*Brandtzaeg, et al., "Current Understandin Relation to Food Allergy", Ann. N.Y. Acad		noregulation and Its
	*Burks, et al., "Modification of a Major Pe Arch. Allergy Immunol. 118: 313-314, 199		s of IgE Binding", Int.
	*Bush, et al., "Molecular Cloning of a Major Alternaria Alternata Allergen, rAlt a 2", J. Allergy Clin. Immunol. 104: 665-671, 1999.		
	*Chang, et al., "Characterization of Enolas Biomed. Sci. 9: 645-655, 2002.	e Allergen from Rhodotoru	la Mucilaginosa", J.
	*Dandeu, et al., "Hydrophobic Interaction Equ.c1, the Horse Major Allergen", Journal		
	*De Jong, et al., "Identification and Partial Peanut Proteins", Clinical and Experimental	-	

My N. Y



APPLICANT: Bannon, et al. SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary) *Diaz-Perales, et al., "Lipid-Transfer Proteins as Potential Plant Panallergens: Cross-Reactivity Among Proteins of Artemisia Pollen, Castanea Nut and Rosaceae Fruits, with Different IgE-Binding Capacities", Clinical and Experimental Allergy, 30: 1403-1416, 2000. *Diaz-Perales, et al., "Characterization of Asparagus Allergens: A Relevant Rofe of Lipid Transfer Proteins", J. Allergy Clin. Immunol. 110: 790-796, 2002. *Dorion, et al., "The Production of Interferon-\(\gamma\) in Response to a Major Peanut Allergy, Ara h II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99, 1994. *Durham, et al., "Immunologic Changes Associated with Allergen Immunotherapy", The Journal of Allergy and Clinical Immunology, 102(2): 157-164, 1998. *Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999. *Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998. *Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cayia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et	PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	2002834-0046 APPLICATION NO.:			
**Diaz-Perales, et al., "Lipid-Transfer Proteins as Potential Plant Panallergens: Cross-Reactivity Among Proteins of Artemisia Pollen, Castanea Nut and Rosaceae Fruits, with Different IgE-Binding Capacities", Clinical and Experimental Allergy, 30: 1403-1410, 2000. **Diaz-Perales, et al., "Characterization of Asparagus Allergens: A Relevant Role of Lipid Transfer Proteins", J. Allergy Clin. Immunol. 110: 790-796, 2002. **Dorion, et al., "The Production of Interferon-7 in Response to a Major Peanut Allergy, Ara h II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99, 1994. **Durham, et al., "Immunologic Changes Associated with Allergen Immunotherapy", The Journal of Allergy and Clinical Immunology, 102(2): 187-164, 1998. **Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999. **Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998. **Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cavia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Gaiuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-4			APPLICANT: Bannon, et al.			
Reactivity Among Proteins of Artemisia Pollen, Castanea Nut and Rosaceae Fruits, with Different IgE-Binding Capacities", Clinical and Experimental Allergy, 30: 1403-1410, 2000. *Diaz-Perales, et al., "Characterization of Asparagus Allergens: A Relevant Role of Lipid Transfer Proteins", J. Allergy Clin. Immunol. 110: 790-796, 2002. *Dorion, et al., "The Production of Interferon-y in Response to a Major Peanut Allergy, Ara h II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99, 1994. *Durham, et al., "Immunologic Changes Associated with Allergen Immunotherapy", The Journal of Allergy and Clinical Immunology, 102(2): 187-164, 1998. *Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999. *Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998. *Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cavía Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.	INFORMATIO	N DISCLOSURE STATEMENT		GROUP: 1644		
Transfer Proteins", J. Allergy Clin. Immunol. 110: 790-796, 2002. *Dorion, et al., "The Production of Interferon-γ in Response to a Major Peanut Allergy, Ara h II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99, 1994. *Durham, et al., "Immunologic Changes Associated with Allergen Immunotherapy", The Journal of Allergy and Clinical Immunology, 102(2): 157-164, 1998. *Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999. *Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998. *Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cayia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.		Reactivity Among Proteins of Artemisia Po	ollen, Castanea Nut and Ros	saceae Fruits, with		
II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99, 1994. *Durham, et al., "Immunologic Changes Associated with Allergen Immunotherapy", The Journal of Allergy and Clinical Immunology, 102(2): 187-164, 1998. *Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999. *Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Bjochem. 251: 443-447, 1998. *Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cayia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.				evant Role of Lipid		
*Erb, et al., "Atopic Disorders: A Default Pathway in the Absence of Infection?", Immunol. Today, 20: 317-322, 1999. *Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998. *Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cavía Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.		II, Correlates with Serum Levels of IgE Anti-Ara h II", J. Allergy Clin. Immunol. 93: 93-99,				
*Eriksson, et al., "Cloning and Characterisation of a Group II Allergen from the Dust Mite Tyrophagus Putrescentiae", Eur. J. Biochem. 251: 443-447, 1998. *Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cavia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10 [†] CD4 [†] CD25 [†] T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.						
*Eriksson, et al., "Cloning of Three New Allergens from the Dust Mite Lepidoglyphus Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cavia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.		· · · · · · · · · · · · · · · · · · ·	Pathway in the Absence of I	nfection?", Immunol.		
Destructor Using Phage Surface Display Technology", Eur. J. Biochem. 268: 287-294, 2001. *Fahlbusch, et al., "Purification and Partial Characterization of the Major Allergen, Cav p 1, from Guinea Pig Cayia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.				from the Dust Mite		
from Guinea Pig Cavia Porcellus", Allergy, 57: 417-422, 2002. *Fiorentino, et al., "Two Types of Mouse T Helper Cell", J. Exp. Med. 170: 2081-2095, 1989. *Francis, et al., "Induction of IL-10 [†] CD4 [†] CD25 [†] T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.						
*Francis, et al., "Induction of IL-10*CD4*CD25* T Cells by Grass Pollen Immunotherapy", J. Allergy Clin. Immunol. 111: 1255-1261, 2003. *Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.				jor Allergen, Cav p 1,		
*Gafvelin, et al., "Cross-Reactivity Studies of a New Group 2 Allergen from the Dust Mite Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.		*Fiorentino, et al., "Two Types of Mouse T	Helper Cell", J. Exp. Med.	170 : 2081-2095, 1989.		
Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant Allergens", J. Allergy Clin. Immunol. 107: 511-518, 2001. *Giuliani, et al., "Isolation and Purification of a Major Allergen from Parietaria Officinalis Pollen", Allergy, 42: 434-440, 1987.						
Pollen", Allergy, 42: 434-440, 1987.		Glycyphagus Domesticus, Gly d 2, and Group 2 Allergens from Dermatophagoides Pteronyssinus, Lepidoglyphus Destructor, and Tyrophagus Putrescentiae with Recombinant				
		Pollen", Allergy, 42: 434-440, 1987.	of a Major Allergen from I	Parietaria Officinalis		

11/3/05



PTO-144 Pric IRI	Commerce	ATTY. DOCKET: 2002834-0046	IN RE APPLICATION NO.:	
(REV. 8-83)	Patent and Trademark Office	APPLICANT: Bannon, et al.		
1	SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT		GROUP: 1644	
A	ral sheets if necessary)	January 28, 2000		
	*Hansen, et al., "Vaccination with Heat-Ki Allergen-Induced Airway Hyperreactivity a 18", The Journal of Immunology, 164: 223	and Inflammation: Role of	_	
	*Helm, et al., "Isolation and Characterizati Bd90K) Involved in IgE-Mediated Cockros 172-180, 1996.			
	*Hilger, et al., "Sequence of the Gene Enco Gene, 169: 295-296, 1996.	oding cat (Felis Domesticus) Serum Albumin",	
	*Himly, et al., "Art v 1, the Major Allerger with a Defensin-Like and a Hydroxyproline			
	*Hoffman, et al., "Occupational Allergy to Allergy Clin. Immunol. 108: 855-860, 2001	, –	Bombus Terrestris", J.	
	*Hoffman, et al., "Allergens in Hymenopte Allergens", J. Allergy Clin. Immunol. 97: 8		oee Venom Allergy and	
	*Hoffman, et al., "Allergens in Bee Venom an Acid Phosphatase", J. Allergy Clin. Imm			
	*Horiuti, et al., "Variable Expression of Pa Cedar (Juniperus Ashei) Pollen", The Journ			
	*Horner, et al., "Identification of the Allerg Cubensis as a Fungal Cyclophilin". Int. Arc			
	*Howard, et al., "Regulation of B-Cell Growth and Differentiation by Soluble Factors", Ann. Rev. Immunol. 1: 307-333, 1983.			
	*Hsu, et al., "Differential Effects of IL-4 and IL-4 and IL-10 on IL-2-Induced IFN-7 Synthesis and Lymphokine-Activated Killer Activity", International Immunology, 4(5): 563-569, 1992.			
	*Ichikawa, et al., "Molecular Cloning, Expression and Modelling of Cat Allergen, Cystatin (Fel d 3), A Cysteine Protease Inhibitor", Clinical and Experimental Allergy, 31: 1279-1286, 2001.			
	*Jankulovic, et al "Isolation and Biochem Allergen", J. Allergy Clin. Immunol. 110: 8		haumatin-Like Kiwi	
•			1 1	

Jog N. Ju



PTO-1449	U.S. Department of Commerce	ATTY. DOCKET: 2002834-0046	IN RE APPLICATION NO.:	
(REV. 8-83)	Patent and Trademark Office	2002634-0040	09/494,096	
		APPLICANT: Bannon, et al.		
SUPPLEMENT	'AL	FILING DATE:	GROUP: 1644	
[N DISCLOSURE STATEMENT	January 28, 2000		
(Use seve	eral sheets if necessary)			
	*Kalliomaki, et al., "Transforming Growth Atopic Disease at an Early Age", J. Allergy	•		
	*Kleine-Tebbe, et al., "Severe Oral Allergy a Bet v 1-Related PR-10 Protein in Soybear 804, 2002.	• •	,	
	*Kowalski, et al., "Mechanisms of Specific 485-492, 1998.	Immunotherapy of Allergi	c Diseases", Allergy, 53:	
	*Ledesman, et al., "Cloning, Expression and Characterization of a Novel Four EF-Hand Ca ²⁺ - Binding Protein from Olive Pollen with Allergenic Activity", FEBS Letter, 466: 192-196, 2000.			
	*Lee, et al., "Oral Administration of II-12 S Model of Peanut Hypersensitivity", Clinical			
	*Leung, et al., "Effect of Anti-IgE Therapy 348: 986-993, 2003.	in Patients with Peanut All	lergy", N. Engl. J. Med.	
	*Li, et al., "A Murine Model of Peanut Ana Peanut Allergen Mimic Human Responses"	aphylaxis: T- and B-Cell Re C, J. Allergy Clin. Immunol.	esponses to a Major 106: 150-158, 2000.	
	*Li, et al., "Novel Approaches for the Treat and Clinical Immunology, 2: 273-278, 2002		errent Opinion in Allergy	
	*Li, et al., "Engineered Recombinant Peanut Protein and Heat-Killed Listeria Monocytogenes Coadministration Protects Against Peanut-Induced Anaphylaxis in a Murine Model", The Journal of Immunology, 170: 3289-3295, 2003.			
	*Li, et al., "Strain-Dependent Induction of Allergic Sensitization Caused by Peanut Allergen DNA Immunization in Mice", The Journal of Immunology, 162: 3045-3052, 1999.			
	*Lombardero, et al., "cDNA Sequence Ana and Experimental Allergy, 24: 765-770, 199	•	ergen, Ole e I", Clinical	
	*Lopata, et al., "Characteristics of Hypersensitivity Reactions and Identification of a Unique 49 kd IgE-Binding Protein (Hal-m-1) in Abalone (Haliotis Midae)", J. Allergy Clin. Immunol. 100: 642-648, 1997.			

Ty n. y



PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademar		ATTY. DOCKET: 2002834-0046	IN RE APPLICATION NO.: 09/494,096
(142 * 1 0 05)	1 atom and 1 adolina.		APPLICANT: Bannon, et al.	
SUPPLEMENTAL			FILING DATE:	GROUP: 1644
	SCLOSURE STATEMENT heets if necessary)		January 28, 2000	
Cre	orentz, et al., "Human Intestin ss-Linking and In Vivo in the 1496-1503, 1999.			
	elen, et al., "Molecular Cloni kroach Allergens", J. Allerg			oss-Reactive Group 1
	oneo, et al., "Isolation and Ch cessionary Caterpillar Thaum			
	oneo, et al., "Isolation and Ch sakis Simplex", J. Allergy Cl		, , ,	om the Fish Parasite
Ae	*Monsalve, et al "Detection, Isolation and Complete Amino Acid Sequence of an Aeroallergenic Protein from Rapeseed Flour", Clinical and Experimental Allergy, 27: 833-841, 1997.			
	orafo, et al., "Genetic Suscept ponses in C3H/HeJ and BAL			
	osmann, et al., "Thi and Th2 ferent Functional Properties",			
	utius, et al., "The Environments: 9-19, 2000.	ntal Predictor	s of Allergic Disease", J	Allergy Clin. Immunol.
De	nishi, et al., "Two-Dimension matitis and Isolation of Mal f J. Biochem. 261: 148-154, 1	f 4 Homologs	oresis of Malassezia Aller with Mitochondrial Mal	gens for Atopic ate Dehydrogenase",
•	*Onizuka, et al., "Purification of the Major Allergen of Red Soft Coral (Dendronephthya Nipponica)", Int. Arch. Allergy Immunol, 125: 135-143, 2001.			
	penheimer, et al., "Treatmen i. Immunol. 90: 256-262, 199		llergy with Rush Immun	otherapy", J. Allergy
/	*Paddock, et al., "Identification, Cloning, and Recombinant Expression of Procalin, a Major Triatomine Allergen", <i>The Journal of Immunology</i> , 167 : 2694-2699, 2001.			
• • • • • • • • • • • • • • • • • • •	losuo, et al., "Wheat ω-5 Gliangested Wheat", J. Allergy Cl	•		rith Immediate Allergy
				1 1 1

Tof N. J

OT 25 ZOU S

PTO-1449\% U.S. Department of IN RE ATTY. DOCKET: Commerce **APPLICATION NO.:** 2002834-0046 (REV. 8-83) Patent and Trademark Office 09/494.096 APPLICANT: Bannon, et al. SUPPLEMENTAL **GROUP: 1644** FILING DATE: INFORMATION DISCLOSURE STATEMENT January 28, 2000 (Use several sheets if necessary) *Pastorello, et al., "The Major Allergen of Sesame Seeds (Sesamum Indicum) is a 2S Albumin", Journal of Chromatography B, 756: 85-93, 2001. *Pastorello, et al., "Allergenic Cross-Reactivity Among Peach, Apricot, Plum, and Cherry in Patients with Oral Allergy Syndrome: An In Vivo and in Vitro Study", J. Allergy Clin. Immunol. 94: 699-707, 1994. *Pierkes, et al., "Decreased Release of Histamine and Sulfidoleukotrienes by Human Peripheral Blood Leukocytes After Wasp Venom Immunotherapy is Partially Due to Induction of IL-10 and IFN-γ Production of T Cells", J. Allergy Clin. Immunol. 103: 326-332, 1999. *Pomes, et al., "Novel Allergen Structures with Tandem Amino Acid Repeats Derived from German and American Cockroach", The Journal of Biological Chemistry, 273(46): 30801-30807, 1998. *Ramos, et al., "cDNA Cloning and Expression of Blo t/11, the Blomia Tropicalis Allergen Homologous to Paramyosin", Int. Arch. Allergy Immunol. 126: 286-293, 2001. *Rasool, et al., "Cloning, Characterization and Expression of Complete Coding Sequences of Three IgE Binding Malassezia Furfur Allergens, Mal f 7, Mal f 8 and Mal f 9", Eur. J. Biochem. 267: 4355-4361, 2000. *Romagnani, et al., "The Role of Lymphocytes in Allergic Disease", J. Allergy Clin. Immunol. **105**: 399-408, 2000. *Rook, et al., "Give us this Day our Daily Germs", Immunology Today, 19: 113-116, 1998. *Saarinen, et al., "Transforming Growth Factor-\$1 in Mothers' Colostrum and Immune Responses to Cows' Milk Proteins in Infants with Cows' Milk Allergy", J. Allergy Clin. Immunol. 104: 1093-1098, 1999. *Saarne, et al., "Cloning and Characterisation of Two IgE-Binding Proteins, Homologous to Tropomyosin and α-Tubulin, from the Mite Lepidoglyphus Destructor", Int. Arch Allergy Immunol. 130: 258-265, 2003. *Sampson, et al., "Fatal and Near-Fatal Anaphylactic Reactions to Food in Children and Adolescents", N. Engl. J. Med. 327: 380-384, 1992. Sampson, Hugh., "Food Allergy. Part 1: Immunopathogenesis and Clinical Disorders", The Journal of Allergy and Clinical Immunology, 103(5): 717-728, 1999.

M. J.

OT 2 5 2004 E

PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office ATTY. DOCKET: IN RE APPLICATION NO.: 09/494,096				
		APPLICANT: Bannon, et al.			
SUPPLEMENT		FILING DATE:	GROUP: 1644		
	N DISCLOSURE STATEMENT	January 28, 2000			
(Ose seve	eral sheets if necessary)				
	*Sanchez-Monge, et al., "Isolation and Characterization of Relevant Allergens from Boiled Lentils", J. Allergy Clin. Immunol. 106: 955-961, 2000.				
	*Santos, et al., "Cockroach Allergens and a Major Allergen with Potential Cross-Reach Clin. Immunol. 104: 329-337, 1999.		- /- 1		
	*Saxena, et al., "cDNA Cloning, Expression Ribosomal Protein of Aspergillus Fumigate		/ -		
	*Schade, et al., "Differences In Antigen-Specific T-Cell Responses Between Infants with Atopic Dermatitis with and without Cow's Milk Allergy: Relevance of T _H 2 Cytokines", J. Allergy Clin. Immunol. 106: 1155-1162, 2000.				
	*Shen, et al., "Characterization of Allergens from Penicillium Oxalicum and P. Notatum by Immunoblotting and N-Terminal Amino Acid Sequence Analysis", Clinical and Experimental Allergy, 29: 642-651, 1999.				
	*Shen, et al., "Molecular Cloning and Imm Mite Allergen Der f 7", Clinical and Exper				
	*Sicherer, et al., "Prevalence of Peanut and Random Digit Dial Telephone Survey", J.				
	*Smith, et al., "Sequence Polymorphisms a Allergens", Int. Arch. Allergy Immunol. 12		Group 2 Dust Mite		
	*Smith, et al., "The Molecular Basis of Antigenic Cross-Reactivity Between the Group 2 Mite Allergens", J. Allergy Clin Immunol. 107: 977-984, 2001.				
	*Snapper, et al., "Interferon-y and B Cell Stimulatory Factor-1 Reciprocally Regulate Ig Isotype Production", Science, 236: 944-947, 1987.				
	*Sommergruber, et al., "Molecular Characterization of Dau c 1, the Bet v 1 Homologous Protein from Carrot and its Cross-Reactivity with Bet v 1 and Api g 1", Clinical and Experimental Allergy, 29: 840-847, 1999.				
	*Stanley, et al., "Identification and Mutational Analysis of the Immunodominant IgE Binding Epitopes of the Major Peanut Allergen Ara h 2", Archives of Biochemistry and Biophysics, 342(2): 244-253, 1997.				

19 s. y



PTO-1449 (REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0046	IN RE APPLICATION NO.: 09/494,096	
		APPLICANT: Bannon, et al.		
SUPPLEMENTAL INFORMATION DISC (Use several sheet)	CLOSURE STATEMENT ets if necessary)	FILING DATE: January 28, 2000	GROUP: 1644	
()	bel, et al., "Immune Responses to Di v, 19: 173-181, 1998.	etary Antigens: Oral Toler	ance", Immunology	
	bel, et al., "Oral Tolerance, Systemic Sci. 958: 47-58, 2002.	: Immunoregulation, and A	utoimmunity" Ann. N.Y.	
H	ra, et al., "Identification, Isolation, a Tree Pollen", J. Allergy Clin Immun		e 7, a New Allergen of	
	hino, et al., "Molecular Characteriza gen, Jun o 2: A Novel Calcium-Bind 998.			
Allerg	*Tsai, et al., "Sequence Analysis and Expression of a cDNA Clone Encoding a 98-kDa Allergen in Dermatophagoides Farinae", Clinical and Experimental Allergy, 29: 1606-1613, 1999.			
Peanu	anu, et al., "Characterization of Lym t-Allergic Children, and Allergic Ch al of Clinical Investigation, 111(7):	aildren who Acquired Tole		
	ner, et al., "Oral Tolerance: Immune ses", Immunology Today, 18: 335-34		nt of Autoimmune	
l l =	ofner, et al., "Molecular and Immunon", Biol. Chem. 383: X779-1789, 200	_	Profilin from Mugwort	
	*Wu, et al., "Sequencing Analysis of cDNA Clones Encoding the American Cockroach Cr-PI Allergens", The Journal of Biological Chemistry, 271(30): 17937-17943, 1996.			
	*Wu, et al., "Cloning of the American Cockroach Cr-PII Allergens: Evidence for the Existence of Cross-Reactive Allergens Between Species", J. Allergy Clin. Immunol, 101: 832-840, 1998.			
i	*Wu, et al., "Sequencing and Immunochemical Characterization of the American Cockroach Per a 3 (Cr-PI) Isoallergenic Variants", Molecular Immunology, 34(1): 1-8, 1997.			
II / / / / / / / / / / / / / / / / / /	*Xu, et al., "Cloning, Expression and Immunological Characterization of Ory s 1, the Major Allergen of Rice Pollen", <i>Gene</i> , 164: 255-259, 1995.			
	neda, et al., "Identification and Cloni , Malassezia Furfur", <i>Biochemical a</i>			

To a. ye



(REV. 8-83)	U.S. Department of Commerce Patent and Trademark Office	ATTY. DOCKET: 2002834-0046 APPLICANT: Bannon, 6	IN RE APPLICATION NO.: 09/494,096
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		FILING DATE: January 28, 2000	GROUP: 1644
	244, 1998.		
	*Yeung, et al., "Heat-Killed Listeria Monocytogenes as an Adjuvant Converts Established Murine Th2-Dominated Immune Responses into Th1-Dominated Responses", <i>The Journal of Immunology</i> , 161: 4146-4152, 1998.		
	*Yi, et al., "Identification of Shared and Use Conserved Tropomyosins in Blomia Tropic Exp. Allergy, 32: 1203-1210, 2002.		
	*Yocum, et al., "Epidemiology of Anaphyl Study", J. Allergy Clin. Immunol. 104: 452		Population-Based
	*Yokoyama, et al., "Purification, Identification, and cDNA Cloning of Jun a 2, the Second Major Allergen of Mountain Cedar Pollen", Biochemical and Biophysical Research Communications, 275: 195-202, 2000.		
*Yu, et al., "Proteomics and Immunological Analysis of a Novel Shrimp Allergen, Pen M 2", The Journal of Immunology, 170: 445-453, 2003.			mp Allergen, Pen M 2",

EXAMINER

DATE CONSIDERED

11/30/05

EXAMINER: Initial of citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

3758874